

# 2025 AM



# Table of Contents

## FORKS

<b>32 mm</b>	RC32 Boost	2
<b>34 mm</b>	E-SWEEP Boost	4
	E-SLIDE Boost	6
		8
<b>36 mm</b>	Trace 36	8
	RV1 27.5 DH	10
		12
<b>38 mm</b>	Vengeance 38	13
	RV1 29 DH	

## SHOCKS

O2 PRO RL/RLX	14
Microlite RLR/RL	16
H3A HLR/RCP	18
H3C HLR/RCP	20

## SEAT POSTS

Manic-Gravel	22
Manic	23
E-Manic	24

Specifications	26
Distributor and Service center	28

## Product Use Chart

	GRAVEL	XC	TRAIL	ALL MOUNTAIN	FREERIDE	DH
<b>27.5 INCH</b>		RC32 Boost				
		E-Sweep Boost				RV1 27.5 DH
<b>29 INCH</b>		RC32 Boost				
			E-Slide Boost			
				Trace 36		
				Vengeance 38		
						RV1 29 DH
<b>REAR SHOCKS</b>		Microlite				
			O2 Pro R/RL/RLR/RLX			
					H3C	
					H3A	
<b>POSTS</b>	Manic-Gravel					
			Manic			
			E-Manic			

## Brake Size Chart

	STANDARD	MAX
RC32 Boost	160 post mount	
Trace 36 E-Sweep Boost E-Slide Boost RV1 27.5 DH Vengeance 38 RV1 29 DH	180 post mount	203mm

# RC32 Boost Series

32mm Stanchion Tube 27.5, 29 Inch Wheel Fork Up To 130mm of Travel

## RC32 27.5 Boost

Weight	4.2 pounds / 1900 grams
Wheel Size	27.5 inch
Travel	80mm, 100mm, 130mm
Stanchion	32mm Anodized aluminum
Spring	Air
Damper	RC Damper
Adjustments	Compression(open to firm), Rebound, Air spring
Steerer	Taper Standard
Axle	Thru Axle 110x15mm Boost
Options	RC Remote
Offset	46mm
Standard Colors	Matte Black, Gloss Black

32  
mm



## RC32 29 Boost

Weight	4.3 pounds / 1920 grams
Wheel Size	29 inch
Travel	80mm, 100mm, 130mm
Stanchion	32mm Anodized aluminum
Spring	Air
Damper	RC Damper
Adjustments	Compression(open to firm), Rebound, Air spring
Steerer	Taper Standard
Axle	Thru Axle 110x15mm Boost
Options	RC Remote
Offset	51mm
Standard Colors	Matte Black, Gloss Black

32  
mm



# E-SWEEP Boost

34mm Stanchion Tube 27.5 Inch Wheel Fork Up To 160mm of Travel

## E-Sweep Boost Roughcut HLR

Weight	4.4 pounds / 2000 grams
Wheel Size	27.5 inch
Travel	120mm, 140mm, 160mm
Stanchion	34mm Anodized aluminum
Spring	Air
Damper	Roughcut HLR
Adjustments	HS comp, LS comp, Rebound, Air spring
Steerer	Taper Standard
Axle	Thru Axle 110x15mm Boost
Offset	46mm

34  
mm



# E-SLIDE Boost

34mm Stanchion Tube 29 Inch Wheel Fork Up To 140mm of Travel

## E-Slide Boost Roughcut HLR

ABS Mount

Weight	4.4 pounds / 2000 grams
Wheel Size	29 inch
Travel	100mm, 120mm, 140mm
Stanchion	34mm Anodized aluminum
Spring	Air
Damper	Roughcut HLR
Adjustments	HS comp, LS comp, Rebound, Air spring
Steerer	Taper Standard
Axle	Thru Axle 110x15mm Boost
Offset	51mm & 44mm

34  
mm



# TRACE 36 Series

36mm Stanchion Tube 29 Inch Wheel Fork Up To 170mm of Travel

## Trace 36 Roughcut HLR **ABS Mount**

Weight	4.4 pounds / 2000 grams
Wheel Size	29 inch
Travel	140mm, 160mm, 170mm
Stanchion	36mm Anodized aluminum
Spring	Coil(Soft, Standard, Firm), Air spring
Damper	Roughcut HLR
Adjustments	HS comp, LS comp, Rebound, Air spring or Preload spring
Steerer	Taper Standard
Axle	Thru Axle 110x15mm Boost
Offset	51mm & 44mm

**36**  
mm





# RV1 27.5 DH Series

36mm Stanchion Tube 27.5 Inch Wheel Fork Up To 200mm of Travel

## RV1 Roughcut HLR

Weight	7.4 pounds / 3350 grams
Wheel Size	27.5 inch
Travel	200mm
Stanchion	36mm Anodized aluminum
Spring	Coil
Damper	Roughcut HLR
Adjustments	HS comp, LS comp, Rebound, Air spring
Steerer	1-1/8th dual crown
Axle	Thru Axle 110x20mm non Boost
Offset	46mm
Standard Colors	Matte Black

36  
mm

Tall Crown for RV1



# VENGEANCE Series

38mm Stanchion Tube 29 Inch Wheel Fork Up To 180mm of Travel



## VENGEANCE 38

Weight	2400 grams
Wheel Size	29 inch
Travel	160mm, 170mm, 180mm
Stanchion	38mm Anodized aluminum
Spring	Air
Damper	Finecut HLR
Adjustments	HS comp, LS comp, Rebound, Air spring
Steerer	Taper Standard
Axle	Thru Axle 110x15mm Boost
Offset	51mm & 44mm

**38**  
mm



12



# RV1 29 DH Series

38mm Stanchion Tube 29 Inch Wheel Fork Up To 200mm of Travel



## RV1 38mm Finecut HLR

Weight	2950 grams
Wheel Size	29 inch
Travel	200mm
Stanchion	38mm Anodized aluminum
Spring	Air
Damper	Finecut HLR
Adjustments	HS comp, LS comp, Rebound, Air spring
Steerer	1-1/8th
Axle	Thru Axle 110x20mm Boost
Offset	56mm & 46mm

**38**  
mm



13



# 02 PRO Series

High-Performance All CNC-Machined Aluminum Air Shock



★ Available ★  
Standard/Metric/Trunion



Quick Flip Remote

## 02 Pro RL

Weight 265 grams  
 Spring Air  
 Adjustments Lockout, Rebound, Air pressure  
 Sizes All Standard and Metric  
 Options AV Air Sleeve, Polymer Hardware, Quick Flip Remote, Lockout



## 02 Pro RLX

Weight 265 grams  
 Spring Air  
 Adjustments 3 Pos. Comp Adjust, Rebound, Air pressure  
 Sizes All Standard and Metric  
 Options AV Air Sleeve, Polymer Hardware

# Microlite Series

165-Gram Microshock For Cross Country Riding And Racing



## Microlite RLR

Weight 165 grams  
Spring Air  
Adjustments Lockout, Rebound, Air pressure  
Sizes 165x38, 184x44, 190x50  
Options Polymer Hardware



## Microlite RL

Weight 165 grams  
Spring Air  
Adjustments Lockout, Rebound, Air pressure  
Sizes 165x38, 184x44, 190x50  
Options Polymer Hardware

# H3A Series

New piggyback Air shock, Three positions platform, low speed, rebound

## H3A HLR

Weight 545 grams(w/o spring)  
Spring Air  
Adjustments HS comp, LS comp, Rebound  
Sizes Metric, Trunnion  
Options Polymer Hardware

## H3A RCP

Weight 515 grams(w/o spring)  
Spring Air  
Adjustments Three positions platform, Low speed, Rebound  
Sizes Metric, Trunnion  
Options Polymer Hardware




# H3C Series

New piggyback Coil shock, Three positions platform, low speed, rebound

## H3C HLR

Weight	350 grams(w/o spring)
Spring	Coil
Adjustments	HS comp, LS comp, Rebound
Sizes	Metric 250/75 & Trunnion 225/75
Options	Polymer Hardware



## H3C RCP

Weight	318 grams(w/o spring)
Spring	Coil
Adjustments	Three positions platform, Low speed, Rebound
Sizes	Metric, Trunnion
Options	Polymer Hardware

# Dropper Seat Posts

Full range dropper seat posts line with internal routing

## MANIC GRAVEL Series

### Manic 50mm

Travel 50mm  
Weight 420 grams  
Sizes 27.2mm  
Remote New two ways control remote system



## MANIC Series

### Manic 100mm

Travel 100mm  
Weight 416 grams(30.9mm)  
Sizes 27.2mm, 30.9mm, 31.6mm and 34.9mm  
Note Internal cable routing only

### Manic 150mm

Travel 150mm  
Weight 521 grams(30.9mm)  
Sizes 30.9mm, 31.6mm and 34.9mm  
Note Internal cable routing only

### Manic 190mm

Travel 190mm  
Weight 689 grams  
Sizes 30.9mm, 31.6mm and 34.9mm  
Note Internal cable routing only

### Manic 125mm

Travel 125mm  
Weight 459 grams(30.9mm)  
Sizes 30.9mm, 31.6mm and 34.9mm  
Note Internal cable routing only

### Manic 170mm

Travel 170mm  
Weight 550 grams(30.9mm)  
Sizes 30.9mm, 31.6mm and 34.9mm  
Note Internal cable routing only

### Manic 200mm

Travel 200mm  
Weight 694 grams(34.9mm)  
Sizes 30.9mm, 31.6mm and 34.9mm  
Note Internal cable routing only

Remote Number	Remote type	Photo of remote	MANIC	I-SPEC 2	I-SPEC EV	MMX
1	Alloy without angle adjustable remote		√	√	√	√
2	Plastic without angle adjustable remote		√	√	√	√
3	Entry Plastic standard remote		√			
4	Gravel two ways control remote		√			



## **E-MANIC** Series

### **E-Manic**

Travel	100mm, 125mm, 150mm, 170mm, 200mm
Weight	682 grams(30.9mm / 150mm)
Sizes	30.9mm, 31.6mm
Length Options	330mm, 386mm, 441mm, 485mm, 551mm
Connection Type	Wireless



Battery Type: 18350 3.7V 850mAh  
 Remote Battery: CR2032  
 Charging cable Type: USB to Type-C



E-Manic Remote



# SPEC CHART

## FORK //

27.5 INCH FORKS			
Family	RC32 Boost	E-SWEEP	RV1
Model name	RC32 27.5 Boost	E-SWEEP Boost Roughcut HLR	RV1 Roughcut HLR
Category	XC/Trial	XC/Trial	AM/FR/DH
Target Wt. Lbs/Grams	4.2/1900g	4.4/2000g	7.4/3350g
Spring	Air	Air	S, M, F, XF Coil
Steerer/Material	Taper Standard	Taper Standard	1-1/8th dual crown
Damper	RC Damper	Roughcut HLR	Roughcut HLR
Adjustments	Compression(open to firm), Rebound, Air spring	HS comp, LS comp, Rebound, Air spring	HS comp, LS comp, Rebound, Air spring
Offset	46mm	46mm	46mm
Axle	Thru Axle 110x15mm Boost	Thru Axle 110x15mm Boost	Thru Axle 110x20mm non Boost
Standards Colors	Matte Black, Gloss Black	Matte Black, Gloss Black	Matte Black
Options	RC Remote		

29 INCH FORKS					
Family	RC32 Boost	E-SLIDE	TRACE 36	VENGEANCE	RV1
Model name	RC32 29 Boost	E-SLIDE Boost Roughcut HLR	TRACE 36 Roughcut HLR	VENGEANCE 38	RV1 38mm Finecut HLR
Category	XC/Trial	XC/TRAIL	Trail/AM/FR	Trail/AM/FR	AM/FR/DH
Target Wt. Lbs/Grams	4.3/1920g	4.4/2000g	4.4/2000g(Air) 5.3/2400g(Coil)	2460g	2950g
Spring	Air	Air	Coil(Soft, Standard, Firm), Air spring	Air	Air
Steerer/Material	Taper Standard	Taper Standard	Taper Standard	Taper Standard	Taper Standard
Damper	RC Damper	Roughcut HLR		Finecut HLR	Finecut HLR
Adjustments	Compression(open to firm), Rebound, Air spring	HS comp, LS comp, Rebound, Air spring		HS comp, LS comp, Rebound, Air spring	HS comp, LS comp, Rebound, Air spring
Offset	51mm	51mm & 44mm	51mm & 44mm	51mm & 44mm	56mm & 46mm
Axle	Thru Axle 110x15mm Boost	Thru Axle 110x15mm Boost	Thru Axle 110x15mm Boost	Thru Axle 110x15mm Boost	Thru Axle 110x20mm Boost
Standards Colors	Matte Black, Gloss Black	Matte Black, Gloss Black	Matte Black, Gloss Black	PMS 285C, PMS 466C	PMS 285C, PMS 466C
Options	RC Remote				

## SHOCK //

SHOCKS								
Family	O2 PRO Series				H3C Series		H3A Series	
Model	O2 PRO R	O2 PRO RL	O2 PRO RLX	O2 PRO RLR	RCP	HLR	RCP	HLR
Category	XC/Trail/AM				XC/Trail/AM	DH	XC/Trail/AM	DH
Target Wt. Lbs/Grams	165(265g), 184 AV(297g)	165(265g), 184 AV(297g)	165(265g), 200 AV(300g)	165(265g), 200 AV(300g)	318g(w/o spring)	350g(w/o spring)	515g(w/o spring)	545g(w/o spring)
Spring	Air				Coil		Air	
Adjustments	Rebound	Rebound, Lockout	Rebound, 3 Positions Comp.	Rebound, Lockout	3 Positions platform, LS comp, Rebound	HS comp, LS comp, Rebound	3 Positions platform, LS comp, Rebound	HS comp, LS comp, Rebound
Options								
Poly Hardware	Y	Y	Y	Y		Y		Y
AV Sleeve	Y	Y	Y	Y				
Remote Lockout				Q Flip mono				

REAR SHOCK SIZE CHART								
Standard Mount			Metric Mount			Trunnion Mount		
Eye to Eye	Stroke	Model	Eye to Eye	Stroke	Model	Eye to Eye	Stroke	Model
165	38	O2 PRO	170	30/35	O2 PRO	145	30/35	O2 PRO
184	44	O2 PRO	190	40/45	O2 PRO	165	40/45	O2 PRO
190	51	O2 PRO	210	50/55	O2 PRO/H3C/H3A	185	50/55	O2 PRO/H3C/H3A
200	51	O2 PRO	230	60/65	O2 PRO/H3C/H3A	205	60/65	O2 PRO/H3C/H3A
200	56	O2 PRO	250	70	H3C DH/ H3A DH	225	75	H3C DH/ H3A DH
215	63	O2 PRO						

## SEAT POST //

POSTS				
Family	MANIC GRAVEL	MANIC		E-MANIC
Model	Manic 50mm	Manic 100mm	Manic 125/150/170/190/200mm	E-manic
Category	Gravel	XC/Trail/AM	XC/Trail/AM	XC/Trail/AM
Travel	50mm Infinite Adjust	100mm infinite adjust	125, 150, 170, 190, 200mm infinite adjust	100, 125, 150, 170, 200mm Infinite Adjust
Weight Target	420g	416g(30.9)	459g(30.9/125mm), 521g(30.9/150mm), 550g(30.9/170mm), 689g(30.9/190mm), 694g(30.9/200mm)	669g(30.9/150mm)
Outer Post Material	Aluminum	Aluminum		Aluminum
Small Inner Shaft Material	Black Ano	Black Ano		Black Ano
OD	27.2mm	27.2mm, 30.9mm, 31.6mm, 34.9mm	30.9mm, 31.6mm, 34.9mm	30.9mm, 31.6mm
Color	Black	Black	Black	Black
Remote	New two ways control remote system			E-Remote
Notes	Internal cable routing only	Internal cable routing only	Internal cable routing only	

# Distributor and Service Center

UNITED STATES - OFFICIAL SERVICE CENTER  
MAD SUSPENSION SERVICE INC  
Tel: (775) 391-0783  
E-Mail:service@madsuspension.com  
add:4690 Longley Ave, Suite 22, Reno, Nevada, 89502  
website:madsuspension.com

EUROPEAN SERVICE HEADQUARTERS  
LEMON SHOX  
Tel:0911 / 27460066  
E-Mail:mail@lemonshox.com  
add:Schleifweg 53 90409 Nürnberg Germany  
website:www.lemonshox.com

ANDORRA  
ASZ DISTRIBUTION  
Tel:+34 652735383  
E-Mail:asiersainz01@gmail.com  
add:The immaculate 25 48903 Barakaldo (Bizkaia)  
website:http://www.asz-distribucion.com

ANDORRA(SERVICE)  
ORING SUSPENSION CENTER  
Tel:+34947719014 Mobile:+34722459002  
E-Mail:Taller@oringsuspensiones.com  
add:Calle Juan de Padilla N°6 Bajo 09006 Burgos  
website:https://oringsuspensiones.com/

AUSTRALIA(EAST)-CW WORKS  
Tel:0424 755 114  
E-Mail:cwworksau@gmail.com  
add:127 Amber Crescent, Narre Warren, Victoria 3805 Australia

AUSTRALIA(WEST)-RnR Suspension Specialists  
Tel:0428 263 668  
E-Mail:rnruspensionsspecialist@gmail.com  
add:2/12 Laurence Road, Walliston 6076 Australia  
website:https://www.rnruspensionsspecialists.com/

BELGIUM  
VD SPORT IMPORT  
Tel:+31 (0) 629321900  
E-Mail:info@x-fusionshox.nl  
add:Boterwijksestraat 11 5688 HX Oirschot The Netherlands  
website:www.x-fusionshox.nl

BENELUX  
VD SPORT IMPORT  
Tel:+31 (0) 629321900  
E-Mail:info@x-fusionshox.nl  
add:Boterwijksestraat 11 5688 HX Oirschot The Netherlands  
website:www.x-fusionshox.nl

BRAZIL  
SCITEX IMP. COM. E SERV. LTDA.  
Tel:tel (11) 5587-3662  
E-Mail:Scitex@scitex.com.br  
add:Rua Carneiro Da Cunha, 872 Sao Paulo, SP-04144-001  
website:www.scitex.com.br

BULGARIA  
VELOMANIA LTD.  
Tel:00359 2 812 70 60  
E-Mail:info@velomania-bg.com  
add:"Gueshevo", Street 83 1330 Sofia  
website:www.velomania-bg.com

CANADA (EAST)  
S4 SUSPENSION  
Tel:450-504-1148  
E-Mail:sgaron@s4suspension.com  
add:801 Rue Pasteur, Unit 103 Saint-Jérôme, Quebec, J7Z 0E2  
website:www.s4suspension.com

CANADA (WEST)  
SERVICE ONLY SUSPENSION WERX  
Tel:778-340-2013  
E-Mail:info@suspensionwerx.com  
add:1443 Hunter Street North Vancouver, BC, V7A 1H3  
website:www.suspensionwerx.com

CHILE  
BIKEPLANET CHILE SPA (SALES)  
Tel:+56-9-92261093  
E-Mail:ventas@bikeplanet.cl  
add:LOS REFUGIOS 19000 P55 LO BARNECHEA SANTIAG

CHINA  
VOLARE  
Tel:+86 0769 26981212  
E-Mail:124428661@qq.com  
add:2F, 328 Tianxin Village Hongyuan Road Nancheng District Dongguan City  
website:https://www.volare.com.cn/

CZECH REPUBLIC SERVICE - SPORT PORT  
Tel:+420 773 776 964  
E-Mail:mancik@sportport.cz  
add:Kačírkova 982/4, Praha 5 Jinonice, 158 00. CZECH REPUBLIC  
website:https://www.sportport.cz/en/uvod/

CZECH REPUBLIC SERVICE  
KG BIKE  
Tel:+ 420 608018374  
E-Mail:kgobike@seznam.cz  
add:Kamil Giercuskiewicz Jaselská 1195/2 Havířov, 73601

FRANCE  
EXACYCLE  
Tel:06 33 20 42 44  
E-Mail:info@exacycle.com  
add:254 chemin des vignes 01500 Château-Gaillard (Ain)  
website:https://www.facebook.com/EXACYCLE/

FRANCE  
ROYAL SUSPENSION  
Tel:+33 6 98 91 30 48  
E-Mail:royalsuspension@yahoo.fr  
add:Pont-À-Mousson, Lorraine  
website:www.royalsuspension.com

HUNGARY  
MR-PROJEKT BIKES  
Tel:+36-70-318-317-8  
E-Mail:info@mr-projekt.com  
add:Jerikó u. 25. Debrecen Hajdú-Bihar 4032

GERMANY  
LEMON SHOX  
Tel:0911 / 27460066  
Tel:mail@lemonshox.com  
add:Schleifweg 53 90409 Nürnberg Germany  
website:http://www.lemonshox.com/

INDONESIA  
PT. WAHANA INTI UTAMA  
Tel:+6221 8170178168  
E-Mail:frans.suryadi@bab-indonesia.com  
add:Jl. Alam Sutera Boulevard No.12a, Pakulonan, Serpong, Kota Tangerang Selatan, Banten 15325, Indonesia

ITALY  
SS38 Bike Lana  
Tel:+39 0473 491186  
E-Mail:info@ss38-bike.it  
add:Via Merano, 7, 39011 Lana BZ, ITALY  
website:https://www.mtb-suedtirol.com/

ISRAEL  
RANOFUN  
Tel:+972-49522334  
E-Mail:ranofun@gmail.com  
add:Shavei Zion Road 3, PO Box 92 Zip Code 22806  
website:http://ranofun.co.il/

JAPAN  
GRAVITY LABS  
Tel:+81 27-288-8177  
E-Mail:gravitylab191s@gmail.com  
add:Kogure 421-4 Maebashisi Huzimityou Gunnmaken, 371-0103  
website:www.gravity-lab.com

KOREA  
GS OUTDOOR  
Tel:+82 070 8600 0846  
E-Mail:gsoutdoor@naver.com  
add:1119-1 Kwanyang-dong Anyang-sh  
website:www.gsoutdoor.co.kr

LUXEMBURG  
VD SPORT IMPORT  
Tel:+31 (0) 629321900  
E-Mail:info@x-fusionshox.nl  
add:Boterwijksestraat 11 5688 HX Oirschot The Netherlands  
website:www.x-fusionshox.nl

MALAYSIA  
SEN AIK TRADING  
Tel:603-33431050  
E-Mail:yeann@senaik.com  
add:12-1-1, Jalan Setia Prima Q U13/Q, Setia Alam, Sek U13, 40170 Shah Alam, Selangor Darul Ehsan  
website:www.senaik.com

MEXICO  
ELITE BIKE(SCOTT Bikes only)  
Tel:+52 871 716 0795  
E-Mail:alma.fraire@elitebike-mx.com  
add:Bvd. Independencia Ote. 1199 Col. San Isidro, Torreón, Coah. MX, C.P. 27100  
website:http://www.elitebike.mx/

MEXICO  
DOS BIKEXTORE  
Tel:(+52)442 688 48 92  
E-Mail:hola@bikextore.com  
add:Av. Prolongacion Teconologico 700, Local 1, Plaza Los Fresnos Mexico  
website:https://www.bikextore.com/

MEXICO  
VELOCI  
Tel:52 (01 33) 32383-1160  
E-Mail:veloci@veloci.com.mx  
add:No.76. Colonia Agua Blanca Industrial Zapopan, Jalisco Mexico. C.P. 45235  
website:www.veloci.com.mx

NETHERLANDS  
VD SPORT IMPORT  
Tel:+31 (0) 629321900  
E-Mail:info@x-fusionshox.nl  
add:Boterwijksestraat 11 5688 HX Oirschot  
website:www.x-fusionshox.nl

NEW ZEALAND - Shockcraft  
Tel +64 3 976 7790  
E-Mail sales@shockcraft.co.nz  
add 58 Boundary Road, Alexandra 9320, NZ  
website https://www.shockcraft.co.nz/

PERU  
STORM BIKE'S SAC  
Tel:+51(01)333 0102  
E-Mail:info@stormbikes.com.pe  
add:Av. Emancipacion 835 interior 304-148 Lima, Perú  
website:www.stormbikes.com.pe

PHILIPPINES  
PEREGRINE MARKETING  
Tel:+032 233 0352  
E-Mail:sales@peregrinebike.com  
add:E.O. Perez St. Subangdaku, North Reclamatiön, Mandaue City, Cebu

PHILIPPINES  
FAREN ENTERPRISES  
Tel:09177730544  
E-Mail:sam\_estimo@yahoo.com  
E-Mail:59-Bansalangan Street, Project 7, Quezon City, Metro Manila  
website:www.bikes.com.ph

PHILIPPINES  
CHEAB BICYCLE PARTS SUPPLY  
Tel:+09774703626  
E-Mail:realbikeshop@yahoo.com  
add:104 QUEZON PIAPI BOULEVARD Davao Cit Philippines 8000

POLAND  
SPIDER SUSPENSIONS  
Tel:+48 515 687 787  
E-Mail:biuro@spidersuspensions.com  
add:ul. 1 Maja 251 41-710 Ruda Śląska  
website:spidersuspensions.com/pl/home/

PORTUGAL  
SERVICE ORING SUSPENSION CENTER  
Tel:+34947719014 Mobile:+34722459002  
E-Mail:Taller@oringsuspensiones.com  
add:Calle Juan de Padilla N°6 Bajo 09006 Burgos  
website:https://oringsuspensiones.com/

PORTUGAL  
ASZ DISTRIBUTION  
Tel:+34 652735383  
E-Mail:asiersainz01@gmail.com  
add:The immaculate 25 48903 Barakaldo (Bizkaia)  
website:http://www.asz-distribucion.com

ROMANIA  
VELOMANIA LTD.  
Tel:00359 2 812 70 60  
E-Mail:info@velomania-bg.com  
add:"Gueshevo", Street 83 1330 Sofia  
website:www.velomania-bg.com

RUSSIA  
TEAMMANO CO.  
Tel:+89162431710  
E-Mail:shop@teammano.ru  
add:Москва, Щелковское шоссе, д. 3, стр. 1, ТЦ Хобби, павильон 179, 1-й этаж  
website:https://teammano.ru/

SINGAPORE - Custom Bike Co.  
Tel:+65 88220122  
Tel:custombikecosg@gmail.com  
add:2 Jalan Lokam, #01-02, Kensington Square, Singapore 537846. (Along Upper Paya Lebar Road)  
website:https://www.facebook.com/CBCSG/

SLOVENIA  
COMTRON D.O.O.  
Tel:02 3003 515  
E-Mail:rene.vrecl@comtron.si  
add:Tržaška cesta 21, 2000 Maribor Slovenia  
website:www.akcija.si/bikes

SPAIN  
SERVICE ORING SUSPENSION CENTER  
Tel:+34947719014 Mobile:+34722459002  
E-Mail:Taller@oringsuspensiones.com  
add:Calle Juan de Padilla N°6 Bajo 09006 Burgos  
website:https://oringsuspensiones.com/

SPAIN  
ASZ DISTRIBUTION  
Tel:+34 652735383  
E-Mail:asiersainz01@gmail.com  
add:The immaculate 25 48903 Barakaldo (Bizkaia)  
website:http://www.asz-distribucion.com

SOUTH AFRICA  
SERVICE ROBBIE'S BICYCLE CONCEPT  
Tel:071 331 8834  
E-Mail:robbie@robbiesbicycleconcept.co.za  
add:Unit 8, Moffett Business Centre, 104 Restitution Road, Port Elizabeth  
website:www.robbiesbicycleconcept.co.za

SWITZERLAND  
SUSPENSION CENTER  
Tel:+41 (0) 31 809 30 20  
E-Mail:info@scenter.ch  
add:Gurnigelstrasse 11 CH-3132 Riggisberg  
website:www.suspensioncenter.ch

TAIWAN  
IRON STABLE  
Tel:04 25575422  
E-Mail:contact@ironstable.com.tw  
add:No. 260, Kuang-Cheng Lane, Nei-Tung Rd Houli Shiang, Taichung Country  
website:www.ironstable.com.tw

THAILAND  
RAJA CYCLE CO., LTD.  
Tel:+66 2703 6818  
add:417 M.2 Bangplee-Tamrue Road, Phrekasamai, Muang, Samutprakarn, Thailand 10280  
website:www.optima.bike

TURKEY  
KRON BISIKLET A.S.  
Tel:444 68 10  
E-Mail:info@kronbisiklet.com.tr  
add:Tepeoren Mah, San. Bolg. 7, #11 Istanbul Tuzla, 34959  
website:www.kronbisiklet.com.tr

UKRAINE  
Benocepic ROVER  
Tel:+38-0955892559  
E-Mail:info@veloservice.if.ua  
add:Nadrichna 2, Ivano-Frankivsk  
website:http://veloservice.if.ua/

UNITED KINGDOM  
UPGRADE BIKES LTD  
Tel:+44 (0) 1403 711 611  
E-Mail:Info@Upgradebikes.co.uk  
add:Star Road Unit A/B, Partridge Green, West Sussex, RH13 8RA  
website:http://www.upgradebikes.co.uk

UNITED STATES  
J&B IMPORTERS, INC.  
Tel:(305) 238-1866  
add:11925 SW 128th St. Miami, FL 33186

UNITED STATES  
QUALITY BICYCLE PRODUCTS  
Tel:(952) 941-9391  
E-Mail:sales@qbp.com  
add:6400 W 105th Street Bloomington, MN 55438  
website:www.qbp.com

UNITED STATES  
BICYCLE TECHNOLOGIES INTERNATIONAL  
Tel:(800) 558-8324  
E-Mail:accounts@bti-usa.com  
add:33 Velocity Way Santa Fe, New Mexico 87508  
website:bti-usa.com





***XFUSIONSHOX.COM***

**XFUSION**

